ELSEVIER

Journal of Inorganic Biochemistry 89 (2002) 302

JOURNAL OF Inorganic Biochemistry

www.elsevier.com/locate/jinorgbio

Author Index of Volume 89

Albertini, R., 36
Alevizopoulou, L., 89
Alves, A.A., 267
Alzuet, G., 29
Antholine, W.E., 163
Arod, F., 227

Baran, E.J., 174
Baret, P., 123
Belicchi Ferrari, M., 36
Biaso, F., 123
Bisceglie, F., 36
Blanco, M.D., 107
Borrás, J., 29
Bragadin, M., 159
Brouwer, J., 197

Casolaro, M., 181
Castellano, E.E., 174
Chakravarty, A.R., 191
Chelli, M., 181
Chen, Y.-T., 97
Chikira, M., 163
Colomba, M.S., 279
Consiglio, M., 279
Criado, J.J., 74
Csóka, H., 219
Cullinane, C., 293

Deacon, G.B., 293
del Campo, R., 74
del Olmo, M., 29
Dendrinou-Samara, C., 89
Di Stefano, R., 279
Drago, P.R., 293
Dubler, E., 227
Dung, N.-H., 18

Eicken, C., 155
Enchev, V., 203

Facchin, G., 174
Farkas, E., 219
Farmer, P.J., 45, 54
Fiallo, M.M.L., 131
Fiore, T., 279
Fodor, F., 149
Franco, D.W., 267
Freisinger, E., 237
Fukita, D., 163
Fukuda, E., 69

Galla, H.-J., 155
García, E., 74
Gargallo, R., 115
Gasparri Fava, G., 36
Gerdemann, C., 155
Gianguzza, P., 279
Gidanian, S., 45, 54
Ginanneschi, M., 181
González-Álvarez, M., 29
Gorneva, G., 203
Grancharov, K., 203
Grasso, M., 159
Greenaway, F.T., 18
Gumienna-Kontecka, E., 13

Hambley, T.W., 293
Hermosa, M.R., 74
Huang, C., 142

Ichikawa, K., 255
Iordanidis, L., 89
Izumi, M., 255

Jansen, B.A.J., 197
Jezierska, J., 13
Jiménez-Sánchez, A., 74

Kessissoglou, D.P., 89
Kim, Y.-S., 83
Kojoh, K., 69
Kong, P., 45
Kowalik-Jankowska, T., 181
Kozłowski, H., 13, 181
Krebs, B., 155
Kremer, E., 174
Kumar, S., 61
Kushev, D., 203

Laschi, F., 181
Lecouvey, M., 13
Lemoine, P., 18
Leroux, Y., 13
Li, J., 142
Lin, H.-K., 97
Lippert, B., 237
Liu, T.-F., 97
Liu-González, M., 29
Lobo Recio, M.Á., 212
Lopes, L.G.F., 267

Macías, B., 29
Mahadevan, S., 191
Manente, S., 159
Maneva, L., 203
Manzano, J.L., 74
Marques Carrera, L.C., 212
Marton, D., 159
Matsuzawa, H., 69
Meng, X.-L., 248
Mercê, A.L.R., 212
Messori, L., 181
Methenitis, C., 131
Miguel del Socorro, J., 107
Monte, E., 74
Moreno, V., 237
Morgant, G., 18
Muniz-Miranda, M., 181

Nagy, L., 1
Nakata, K., 255
Naydenova, E., 203
Neelakanta, G., 191
Nelson, K.T., 293
Nethaji, M., 191
Nikolis, N., 131

Olmo, R., 107
Onoa, G.B., 237

Palaniandavar, M., 163
Pandeya, K.B., 61
Papini, A.M., 181
Patel, R.N., 61
Pellerito, C., 279
Pellerito, L., 279
Pelosi, G., 36
Pereira da Silva, L., 267
Pierre, J.-L., 123
Pinelli, S., 36
Piro, O.E., 174
Pneumatikakis, G., 131
Popova, J., 203

Reddy, P.A.N., 191
Reedijk, J., 197
Rodríguez-Fernández, E., 74

Samaras, E., 89
Santos Romanholi, L.K., 212
Santra, B.K., 191
Sanz, F., 29, 74
Sasano, A., 163
Schmalle, H.W., 227
Schneider, A.G., 227
Scopelliti, M., 279
Serratrice, G., 123
Shi, X., 142
Shiina, N., 255
Shimomura, N., 255
Shindo, H., 163
Shiro, M., 255
Shute, A.A., 272
Sohn, Y.S., 83
Song, R., 83
Sorenson, J.R.J., 18
Spassovska, N., 203
Stocco, G.C., 279
Sugawara, N., 163
Sugizaki, T., 163
Szorcsik, A., 1
Szpoganicz, B., 45

Tarasconi, P., 36
Tauler, R., 115
Taxirov, S., 203
Teijón, C., 107
Teijón, J.M., 107
Toledo Jr., J.C., 267
Tomas, A., 18
Tomizawa, Y., 163
Toninello, A., 159
Torre, M.H., 174

Varga, A., 149
Vincent, J.B., 272
Viossat, B., 18
Vitturi, R., 279
Vives, M., 115

Wakagi, T., 69
Wang, Z.-M., 97
Webster, L.K., 293
Wei, Y.-B., 248

Yamazaki, T., 163
Yang, P., 248
Yue, L.-J., 248

Záray, G., 149
Zhang, Z., 142
Zhu, S.-R., 97

Elsevier Science Inc.
PII: S0162-0134(02)00421-X

ELSEVIER

Journal of Inorganic Biochemistry 89 (2002) 303–307

JOURNAL OF Inorganic Biochemistry

www.elsevier.com/locate/jinorgbio

Subject Index of Volume 89

Altromycin B
  interactions of the anticancer antibiotic altromycin B with copper(II), palladium(II) and platinum(II) ions and in vitro activity of the formed complexes, 131
Aluminium(III)
  solution equilibrium studies on metal complexes of 2,3-dihydroxy-phenylalanine-hydroxamic acid (Dopaha) and models: catecholate versus hydroxamate coordination in iron(III)–, aluminium(III)– and molybdenum(VI)–Dopaha complexes, 219
Aluminum complexes
  comparative studies on the iron chelators O-TRENSOX and TRENCAMS: selectivity of the complexation towards other biologically relevant metal ions and Al^{3+}, 123
Amoxicillin
  organometallic complexes with biological molecules. XVII. Triorganotin(IV) complexes with amoxicillin and ampicillin, 279
Ampicillin
  organometallic complexes with biological molecules. XVII. Triorganotin(IV) complexes with amoxicillin and ampicillin, 279
Antibacterial effect
  synthesis, cytotoxicity, antibacterial and antitumor activity of platinum(II) complexes of 3-aminocyclohexanespiro-5-hydantoin, 203
Anti-convulsant properties
  synthesis, crystal structure, EPR properties, and anti-convulsant activities of binuclear and mononuclear 1,10-phenanthroline and salicylate ternary copper(II) complexes, 18
Antifungal activity
  thiourea derivatives and their nickel(II) and platinum(II) complexes: antifungal activity, 74
Antitumor activity
  synthesis, cytotoxicity, antibacterial and antitumor activity of platinum(II) complexes of 3-aminocyclohexanespiro-5-hydantoin, 203
Antitumor agent
  synthesis and selective tumor targeting properties of water soluble porphyrin–Pt(II) conjugates, 83
Antitumour antibiotics
  interactions of the anticancer antibiotic altromycin B with copper(II), palladium(II) and platinum(II) ions and in vitro activity of the formed complexes, 131
Apoplasm
  determination of element distribution between the symplasm and apoplasm of cucumber plant parts by total reflection X-ray fluorescence spectrometry, 149
Apoptosis
  synthesis, cytotoxicity, antibacterial and antitumor activity of platinum(II) complexes of 3-aminocyclohexanespiro-5-hydantoin, 203
Archaeon
  zinc-coordination of aspartic acid-76 in *Sulfolobus* ferredoxin is not required for thermal stability of the molecule, 69
Binding
  studies of cadmium binding to hexokinase: structural and functional implications, 107
Biological activity
  synthesis, characterization and biological activity of two new polymeric copper(II) complexes with α-ketoglutaric acid thiosemicarbazone, 36
Biological evaluation
  interactions of the anticancer antibiotic altromycin B with copper(II), palladium(II) and platinum(II) ions and in vitro activity of the formed complexes, 131
Biological molecules
  organometallic complexes with biological molecules. XVII. Triorganotin(IV) complexes with amoxicillin and ampicillin, 279
Bisphosphonates
  bisphosphonate chelating agents. Coordination ability of 1-phenyl-1-hydroxymethylene bisphosphonate towards Cu^{2+} ions, 13
Cadmium
  studies of cadmium binding to hexokinase: structural and functional implications, 107
Carbohydrate derivatives
  equilibrium and structural studies on metal complexes of carbohyrates and their derivatives, 1
Carbohydrates
  equilibrium and structural studies on metal complexes of carbohyrates and their derivatives, 1
Carbonic anhydrase
  kinetic study of catalytic CO_2 hydration by water-soluble model compound of carbonic anhydrase and anion inhibition effect on CO_2 hydration, 255
Catechol oxidase
  comparative modeling of the latent form of a plant catechol oxidase using a molluskan hemocyanin structure, 155
Cell cycle
  vanadate-induced cell growth arrest is p53-dependent through activation of p21 in C141 cells, 142
Chromium
  the fate of the biomimetic cation triaqua-μ-oxohexapropionatotrichromium(III) in rats, 272
Chromodulin
  the fate of the biomimetic cation triaqua-μ-oxohexapropionatotrichromium(III) in rats, 272
Circular dichroism
  studies of cadmium binding to hexokinase: structural and functional implications, 107
Cisplatin resistance
  glutathione induces cellular resistance against cationic dinuclear platinum anticancer drugs, 197
CO_2 hydration
  kinetic study of catalytic CO_2 hydration by water-soluble model compound of carbonic anhydrase and anion inhibition effect on CO_2 hydration, 255

Elsevier Science Inc.
PII: S0162-0134(02)00422-1

Competitive mode
study on the amount of binding of anti-tumor metal complexes to different target sites of dGMP using *trans*-[$en_2Os(\eta^2\text{-}H_2)(CF_3SO_3)](CF_3SO_3)$ in a competitive mode, 248
Complex
solution equilibrium studies on metal complexes of 2,3-dihydroxy-phenylalanine-hydroxamic acid (Dopaha) and models: catecholate versus hydroxamate coordination in iron(III)–, aluminium(III)– and molybdenum(VI)–Dopaha complexes, 219
Computer program
study of the influence of metal ions on $tRNA^{Phe}$ thermal unfolding equilibria by UV spectroscopy and multivariate curve resolution, 115
Conformational changes
study of the influence of metal ions on $tRNA^{Phe}$ thermal unfolding equilibria by UV spectroscopy and multivariate curve resolution, 115
Copper
DNA-fiber EPR study of the orientation of Cu(II) complexes of 1,10-phenanthroline and its derivatives bound to DNA: mono(phenanthroline)-copper(II) and its ternary complexes with amino acids, 163
Copper (II)
nuclease activity of [Cu(sulfathiazolato)$_2$(benzimidazole)$_2$]2MeOH. Synthesis, properties and crystal structure, 29
Copper complexes
bisphosphonate chelating agents. Coordination ability of 1-phenyl-1-hydroxymethtlene bishosphonate towards Cu^{2+} ions, 13
spectroscopic and potentiometric study of the SOD mimic system copper(II)/acetyl-L-histidylglycyl-L-histidylglycine, 181
Copper(II) complexes
synthesis and characterization of three new Cu(II)-dipeptide complexes, 174
oxidative cleavage of DNA by a dipyridoquinoxaline copper(II) complex in the presence of ascorbic acid, 191
Copper–palladium–platinum coordination
interactions of the anticancer antibiotic altromycin B with copper(II), palladium(II) and platinum(II) ions and in vitro activity of the formed complexes, 131
Cross-linked
aqueous and solid complexes of iron(III) with hyaluronic acid. Potentiometric titrations and infrared spectroscopy studies, 212
Crystal structure(s)
oxidative cleavage of DNA by a dipyridoquinoxaline copper(II) complex in the presence of ascorbic acid, 191
synthesis, characterization and biological activity of two new polymeric copper(II) complexes with α-ketoglutaric acid thiosemicarbazone, 36
synthesis, crystal structure, EPR properties, and anti-convulsant activities of binuclear and mononuclear 1,10-phenanthroline and salicylate ternary copper(II) complexes, 18
the interaction of 5-fluoroorotic acid with transition metals: synthesis and characterisation of Ni(II), Cu(II) and Zn(II) complexes, 227
Cu
redox behavior of melanins: direct electrochemistry of dihydroxyindole-melanin and its Cu and Zn adducts, 54
Cu-complexes
synthesis, characterization and biological activity of two new polymeric copper(II) complexes with α-ketoglutaric acid thiosemicarbazone, 36
Cucumber plants
determination of element distribution between the symplasm and apoplasm of cucumber plant parts by total reflection X-ray fluorescence spectrometry, 149
[Cu(sulfathiazolato)$_2$(benzimidazole)$_2$]2MeOH
nuclease activity of [Cu(sulfathiazolato)$_2$(benzimidazole)$_2$]2MeOH. Synthesis, properties and crystal structure, 29
Cu-ZnSOD
E.s.r., visible and SOD studies of imidazolate bridged $Cu_2^{II,II}$, $Cu^{II}Zn^{II}$ and $Cu^{II}Ni^{II}$ complexes with pentamethyldiethylenetriamine as capping ligand: a plausible model for superoxide dismutase, 61
Cytotoxic effects
synthesis, cytotoxicity, antibacterial and antitumor activity of platinum(II) complexes of 3-aminocyclohexanespiro-5-hydantoin, 203
Cytotoxicity
spectroscopy, cytotoxicity and DNA-binding of the lanthanum(III) complex of an L-valine derivative of 1,10-phenanthroline, 97
Data analysis
study of the influence of metal ions on $tRNA^{Phe}$ thermal unfolding equilibria by UV spectroscopy and multivariate curve resolution, 115
dGMP
study on the amount of binding of anti-tumor metal complexes to different target sites of dGMP using *trans*-[$en_2Os(\eta^2\text{-}H_2)(CF_3SO_3)](CF_3SO_3)$ in a competitive mode, 248
Dihydroxyindole (DHI)
metal binding by melanins: studies of colloidal dihydroxyindole-melanin, and its complexation by Cu(II) and Zn(II) ions, 45
5,6-Dihydroxyindole (DHI)
redox behavior of melanins: direct electrochemistry of dihydroxyindole-melanin and its Cu and Zn adducts, 54
Dinuclear platinum anticancer drugs
glutathione induces cellular resistance against cationic dinuclear platinum anticancer drugs, 197
Dipeptides
synthesis and characterization of three new Cu(II)-dipeptide complexes, 174
Divalent metal ions complexes
comparative studies on the iron chelators O-TRENSOX and TRENCAMS: selectivity of the complexation towards other biologically relevant metal ions and Al^{3+}, 123
DNA
nuclease activity of [Cu(sulfathiazolato)$_2$(benzimidazole)$_2$]2MeOH. Synthesis, properties and crystal structure, 29
DNA-binding
spectroscopy, cytotoxicity and DNA-binding of the lanthanum(III) complex of an L-valine derivative of 1,10-phenanthroline, 97
DNA–cimetidine complex interaction
Pd(II)- and Pt(II)-cimetidine complexes. Crystal structure of *trans*-[Pt(N,S-cimetidine)$_2$]Cl_2.12H_2O, 237
DNA fiber
DNA-fiber EPR study of the orientation of Cu(II) complexes of 1,10-phenanthroline and its derivatives bound to DNA: mono(phenanthroline)-copper(II) and its ternary complexes with amino acids, 163
Dopa-hydroxamic acid
solution equilibrium studies on metal complexes of 2,3-dihydroxy-phenylalanine-hydroxamic acid (Dopaha) and models: catecholate versus hydroxamate coordination in iron(III)–, aluminium(III)– and molybdenum(VI)–Dopaha complexes, 219
Electronic spectra
synthesis and characterization of three new Cu(II)-dipeptide complexes, 174
Electron paramagnetic resonance
bisphosphonate chelating agents. Coordination ability of 1-phenyl-1-hydroxymethylene bisphosphonate towards Cu^{2+} ions, 13
Electron paramagnetic resonance (EPR)
DNA-fiber EPR study of the orientation of Cu(II) complexes of

1,10-phenanthroline and its derivatives bound to DNA: mono(phenanthroline)-copper(II) and its ternary complexes with amino acids, 163
EPR spectroscopy
synthesis, crystal structure, EPR properties, and anti-convulsant activities of binuclear and mononuclear 1,10-phenanthroline and salicylate ternary copper(II) complexes, 18
EPR, Raman, UV-Vis and CD spectra
spectroscopic and potentiometric study of the SOD mimic system copper(II)/acetyl-L-histidylglycyl-L-histidylglycine, 181
E.s.r
E.s.r., visible and SOD studies of imidazolate bridged $Cu_2^{II,II}$, $Cu^{II}Zn^{II}$ and $Cu^{II}Ni^{II}$ complexes with pentamethyldiethylenetriamine as capping ligand: a plausible model for superoxide dismutase, 61
Equilibrium constants
equilibrium and structural studies on metal complexes of carbohyrates and their derivatives, 1
Extension peptide
comparative modeling of the latent form of a plant catechol oxidase using a molluskan hemocyanin structure, 155
Ferredoxin
zinc-coordination of aspartic acid-76 in *Sulfolobus* ferredoxin is not required for thermal stability of the molecule, 69
5-Fluoroorotic acid
the interaction of 5-fluoroorotic acid with transition metals: synthesis and characterisation of Ni(II), Cu(II) and Zn(II) complexes, 227
5-Fluorouracil
the interaction of 5-fluoroorotic acid with transition metals: synthesis and characterisation of Ni(II), Cu(II) and Zn(II) complexes, 227
Glutathione
glutathione induces cellular resistance against cationic dinuclear platinum anticancer drugs, 197
Heavy metals
determination of element distribution between the symplasm and apoplasm of cucumber plant parts by total reflection X-ray fluorescence spectrometry, 149
Hemocyanin
comparative modeling of the latent form of a plant catechol oxidase using a molluskan hemocyanin structure, 155
Herbicide complex
15-MC-5 manganese metallacrowns hosting herbicide complexes. Structure and bioactivity, 89
Hexokinase
studies of cadmium binding to hexokinase: structural and functional implications, 107
His-containing peptides
spectroscopic and potentiometric study of the SOD mimic system copper(II)/acetyl-L-histidylglycyl-L-histidylglycine, 181
^{1}H-nuclear magnetic resonance
comparative studies on the iron chelators O-TRENSOX and TRENCAMS: selectivity of the complexation towards other biologically relevant metal ions and Al^{3+}, 123
Hyaluronic acid
aqueous and solid complexes of iron(III) with hyaluronic acid. Potentiometric titrations and infrared spectroscopy studies, 212
IR spectra
synthesis and characterization of three new Cu(II)-dipeptide complexes, 174
Imidazolate bridged complexes
E.s.r., visible and SOD studies of imidazolate bridged $Cu_2^{II,II}$, $Cu^{II}Zn^{II}$ and $Cu^{II}Ni^{II}$ complexes with pentamethyldiethylenetriamine as capping ligand: a plausible model for superoxide dismutase, 61
Infrared
aqueous and solid complexes of iron(III) with hyaluronic acid. Potentiometric titrations and infrared spectroscopy studies, 212
Inhibitor
kinetic study of catalytic CO_2 hydration by water-soluble model compound of carbonic anhydrase and anion inhibition effect on CO_2 hydration, 255
Iron complexes
aqueous and solid complexes of iron(III) with hyaluronic acid. Potentiometric titrations and infrared spectroscopy studies, 212
Iron(III)
solution equilibrium studies on metal complexes of 2,3-dihydroxy-phenylalanine-hydroxamic acid (Dopaha) and models: catecholate versus hydroxamate coordination in iron(III)–, aluminium(III)– and molybdenum(VI)–Dopaha complexes, 219
Kinetics
kinetic study of catalytic CO_2 hydration by water-soluble model compound of carbonic anhydrase and anion inhibition effect on CO_2 hydration, 255
spectroscopy, cytotoxicity and DNA-binding of the lanthanum(III) complex of an L-valine derivative of 1,10-phenanthroline, 97
L-BSO
glutathione induces cellular resistance against cationic dinuclear platinum anticancer drugs, 197
Lanthanum(III) complex
spectroscopy, cytotoxicity and DNA-binding of the lanthanum(III) complex of an L-valine derivative of 1,10-phenanthroline, 97
Latent form
comparative modeling of the latent form of a plant catechol oxidase using a molluskan hemocyanin structure, 155
Local structures
equilibrium and structural studies on metal complexes of carbohyrates and their derivatives, 1
Macromolecular aggregates
studies of cadmium binding to hexokinase: structural and functional implications, 107
Malaria
the interaction of 5-fluoroorotic acid with transition metals: synthesis and characterisation of Ni(II), Cu(II) and Zn(II) complexes, 227
Manganese metallacrown
15-MC-5 manganese metallacrowns hosting herbicide complexes. Structure and bioactivity, 89
Melanin
metal binding by melanins: studies of colloidal dihydroxyindole-melanin, and its complexation by Cu(II) and Zn(II) ions, 45
redox behavior of melanins: direct electrochemistry of dihydroxyindole-melanin and its Cu and Zn adducts, 54
Metal anti-tumor complexes
study on the amount of binding of anti-tumor metal complexes to different target sites of dGMP using *trans*-$[en_2Os(\eta^2\text{-}H_2)(CF_3SO_3)](CF_3SO_3)$ in a competitive mode, 248
Metal-binding constants
metal binding by melanins: studies of colloidal dihydroxyindole-melanin, and its complexation by Cu(II) and Zn(II) ions, 45
Metal complex(es)
equilibrium and structural studies on metal complexes of carbohyrates and their derivatives, 1
the interaction of 5-fluoroorotic acid with transition metals: synthesis and characterisation of Ni(II), Cu(II) and Zn(II) complexes, 227
Metal ion coordination
aqueous and solid complexes of iron(III) with hyaluronic acid. Potentiometric titrations and infrared spectroscopy studies, 212
Methylmercury
methylmercury induces the opening of the permeability transition pore in rat liver mitochondria, 159

Minimum binding percentage
study on the amount of binding of anti-tumor metal complexes to different target sites of dGMP using *trans*-[$en_2Os(\eta^2\text{-}H_2)(CF_3SO_3)$]($CF_3SO_3$) in a competitive mode, 248
Mitochondria
methylmercury induces the opening of the permeability transition pore in rat liver mitochondria, 159
release of NO by a nitrosyl complex upon activation by the mitochondrial reducing power, 267
Modeling
comparative modeling of the latent form of a plant catechol oxidase using a molluskan hemocyanin structure, 155
Molybdenum(VI)
solution equilibrium studies on metal complexes of 2,3-dihydroxy-phenylalanine-hydroxamic acid (Dopaha) and models: catecholate versus hydroxamate coordination in iron(III)–, aluminium(III)– and molybdenum(VI)–Dopaha complexes, 219
NADH
release of NO by a nitrosyl complex upon activation by the mitochondrial reducing power, 267
Ni(II) and Pt(II) complexes
thiourea derivatives and their nickel(II) and platinum(II) complexes: antifungal activity, 74
Nitrilotris(2-benzimidazolylmethyl-6-sulfonate)
kinetic study of catalytic CO_2 hydration by water-soluble model compound of carbonic anhydrase and anion inhibition effect on CO_2 hydration, 255
Nitrosyl
release of NO by a nitrosyl complex upon activation by the mitochondrial reducing power, 267
Non-steroidal anti-inflammatory drugs
synthesis, crystal structure, EPR properties, and anti-convulsant activities of binuclear and mononuclear 1,10-phenanthroline and salicylate ternary copper(II) complexes, 18
Nuclease activity
nuclease activity of [Cu(sulfathiazolato)$_2$(benzimidazole)$_2$]2MeOH. Synthesis, properties and crystal structure, 29
oxidative cleavage of DNA by a dipyridoquinoxaline copper(II) complex in the presence of ascorbic acid, 191
Organotin(IV) complexes
organometallic complexes with biological molecules. XVII. Triorganotin(IV) complexes with amoxicillin and ampicillin,
O-TRENSOX
comparative studies on the iron chelators O-TRENSOX and TRENCAMS: selectivity of the complexation towards other biologically relevant metal ions and Al^{3+}, 123
p21
vanadate-induced cell growth arrest is p53-dependent through activation of p21 in C141 cells, 142
p53
vanadate-induced cell growth arrest is p53-dependent through activation of p21 in C141 cells, 142
Pd–cimetidine complex
Pd(II)- and Pt(II)-cimetidine complexes. Crystal structure of *trans*-[Pt(N,S-cimetidine)$_2$]Cl_2.12H_2O, 237
Penicillins
organometallic complexes with biological molecules. XVII. Triorganotin(IV) complexes with amoxicillin and ampicillin, 279
Pentamethyldiethylenetriamine (PMDT)
E.s.r., visible and SOD studies of imidazolate bridged $Cu_2^{II,II}$, $Cu^{II}Zn^{II}$ and $Cu^{II}Ni^{II}$ complexes with pentamethyldiethylenetriamine as capping ligand: a plausible model for superoxide dismutase, 61
ph-Metric method
equilibrium and structural studies on metal complexes of carbohyrates and their derivatives, 1
Phenanthroline
DNA-fiber EPR study of the orientation of Cu(II) complexes of 1,10-phenanthroline and its derivatives bound to DNA: mono(phenanthroline)-copper(II) and its ternary complexes with amino acids, 163
1,10-Phenanthroline
spectroscopy, cytotoxicity and DNA-binding of the lanthanum(III) complex of an L-valine derivative of 1,10-phenanthroline, 97
synthesis, crystal structure, EPR properties, and anti-convulsant activities of binuclear and mononuclear 1,10-phenanthroline and salicylate ternary copper(II) complexes, 18
Platinum(II) complexes
synthesis, cytotoxicity, antibacterial and antitumor activity of platinum(II) complexes of 3-aminocyclohexanespiro-5-hydantoin, 203
Platinum
synthesis and selective tumor targeting properties of water soluble porphyrin–Pt(II) conjugates, 83
Polyphenol oxidase
comparative modeling of the latent form of a plant catechol oxidase using a molluskan hemocyanin structure, 155
Porphyrin
synthesis and selective tumor targeting properties of water soluble porphyrin–Pt(II) conjugates, 83
Potentiometric studies
comparative studies on the iron chelators O-TRENSOX and TRENCAMS: selectivity of the complexation towards other biologically relevant metal ions and Al^{3+}, 123
Potentiometric titration
aqueous and solid complexes of iron(III) with hyaluronic acid, 212
metal binding by melanins: studies of colloidal dihydroxyindole-melanin, and its complexation by Cu(II) and Zn(II) ions, 45
Potentiometry
bisphosphonate chelating agents. Coordination ability of 1-phenyl-1-hydroxymethylene bisphosphonate towards Cu^{2+} ions, 13
Propionate
the fate of the biomimetic cation triaqua-μ-oxohexapropionatotrichromium(III) in rats, 272
Pt antitumor complexes
Pd(II)- and Pt(II)-cimetidine complexes. Crystal structure of *trans*-[Pt(N,S-cimetidine)$_2$]Cl_2.12H_2O, 237
Pt–cimetidine complex
Pd(II)- and Pt(II)-cimetidine complexes. Crystal structure of *trans*-[Pt(N,S-cimetidine)$_2$]Cl_2.12H_2O, 237
Pt–cimetidine molecular structure
Pd(II)- and Pt(II)-cimetidine complexes. Crystal structure of *trans*-[Pt(N,S-cimetidine)$_2$]Cl_2.12H_2O, 237
pUC18
nuclease activity of [Cu(sulfathiazolato)$_2$(benzimidazole)$_2$]2MeOH. Synthesis, properties and crystal structure, 29
^{195}Pt NMR
glutathione induces cellular resistance against cationic dinuclear platinum anticancer drugs, 197
Quinone imine
metal binding by melanins: studies of colloidal dihydroxyindole-melanin, and its complexation by Cu(II) and Zn(II) ions, 45
redox behavior of melanins: direct electrochemistry of dihydroxyindole-melanin and its Cu and Zn adducts, 54
Rat
the fate of the biomimetic cation triaqua-μ-oxohexapropionatotrichromium(III) in rats, 272
Redox property
oxidative cleavage of DNA by a dipyridoquinoxaline copper(II) complex in the presence of ascorbic acid, 191
Redox titration
redox behavior of melanins: direct electrochemistry of dihydroxyindole-melanin and its Cu and Zn adducts, 54

RNA folding
study of the influence of metal ions on $tRNA^{Phe}$ thermal unfolding equilibria by UV spectroscopy and multivariate curve resolution, 115
Ruthenium complexes
release of NO by a nitrosyl complex upon activation by the mitochondrial reducing power, 267
Singly and dideprotonated salicylic acids
synthesis, crystal structure, EPR properties, and anti-convulsant activities of binuclear and mononuclear 1,10-phenanthroline and salicylate ternary copper(II) complexes, 18
SOD activity mimics
spectroscopic and potentiometric study of the SOD mimic system copper(II)/acetyl-L-histidylglycyl-L-histidylglycine, 181
Spectroelectrochemistry
redox behavior of melanins: direct electrochemistry of dihydroxyindole-melanin and its Cu and Zn adducts, 54
Spectrophotometry
study of the influence of metal ions on $tRNA^{Phe}$ thermal unfolding equilibria by UV spectroscopy and multivariate curve resolution, 115
Spectroscopic methods
equilibrium and structural studies on metal complexes of carbohyrates and their derivatives, 1
Spectroscopy
spectroscopy, cytotoxicity and DNA-binding of the lanthanum(III) complex of an L-valine derivative of 1,10-phenanthroline, 97
Stability constants
comparative studies on the iron chelators O-TRENSOX and TRENCAMS: selectivity of the complexation towards other biologically relevant metal ions and Al^{3+}, 123
Stability
zinc-coordination of aspartic acid-76 in *Sulfolobus* ferredoxin is not required for thermal stability of the molecule, 69
Stopped-flow method
spectroscopy, cytotoxicity and DNA-binding of the lanthanum(III) complex of an L-valine derivative of 1,10-phenanthroline, 97
Sulfolobus
zinc-coordination of aspartic acid-76 in *Sulfolobus* ferredoxin is not required for thermal stability of the molecule, 69
Superoxide dismutase activity
synthesis and characterization of three new Cu(II)-dipeptide complexes, 174
Symplasm
determination of element distribution between the symplasm and apoplasm of cucumber plant parts by total reflection X-ray fluorescence spectrometry, 149
Targeting
synthesis and selective tumor targeting properties of water soluble porphyrin–Pt(II) conjugates, 83
Ternary complex
DNA-fiber EPR study of the orientation of Cu(II) complexes of 1,10-phenanthroline and its derivatives bound to DNA: mono(phenanthroline)-copper(II) and its ternary complexes with amino acids, 163
Ternary copper(II) complexes
synthesis, crystal structure, EPR properties, and anti-convulsant activities of binuclear and mononuclear 1,10-phenanthroline and salicylate ternary copper(II) complexes, 18
Tetrapeptides
spectroscopic and potentiometric study of the SOD mimic system copper(II)/acetyl-L-histidylglycyl-L-histidylglycine, 181
Thermodynamics
spectroscopy, cytotoxicity and DNA-binding of the lanthanum(III) complex of an L-valine derivative of 1,10-phenanthroline, 97
Thiosemicarbazones
synthesis, characterization and biological activity of two new polymeric copper(II) complexes with α-ketoglutaric acid thiosemicarbazone, 36
Thiourea derivatives
thiourea derivatives and their nickel(II) and platinum(II) complexes: antifungal activity, 74
Total reflection X-ray fluorescence
determination of element distribution between the symplasm and apoplasm of cucumber plant parts by total reflection X-ray fluorescence spectrometry, 149
trans-$[en_2Os(\eta^2\text{-}H_2)(CF_3SO_3)](CF_3SO_3)$
study on the amount of binding of anti-tumor metal complexes to different target sites of dGMP using *trans*-$[en_2Os(\eta^2\text{-}H_2)(CF_3SO_3)](CF_3SO_3)$ in a competitive mode, 248
Tris(2-benzimidazolylmethyl)amine
kinetic study of catalytic CO_2 hydration by water-soluble model compound of carbonic anhydrase and anion inhibition effect on CO_2 hydration, 255
Uncoupling
methylmercury induces the opening of the permeability transition pore in rat liver mitochondria, 159
L-Valine derivative
spectroscopy, cytotoxicity and DNA-binding of the lanthanum(III) complex of an L-valine derivative of 1,10-phenanthroline, 97
Vanadate
vanadate-induced cell growth arrest is p53-dependent through activation of p21 in C141 cells, 142
Water-soluble ligand
kinetic study of catalytic CO_2 hydration by water-soluble model compound of carbonic anhydrase and anion inhibition effect on CO_2 hydration, 255
Zinc model complex
kinetic study of catalytic CO_2 hydration by water-soluble model compound of carbonic anhydrase and anion inhibition effect on CO_2 hydration, 255
Zinc
zinc-coordination of aspartic acid-76 in *Sulfolobus* ferredoxin is not required for thermal stability of the molecule, 69
Zn
redox behavior of melanins: direct electrochemistry of dihydroxyindole-melanin and its Cu and Zn adducts, 54